

Model 325-FG-03-C Bare Die (Flip chip form, Au Pad)

Typical Optical-Electrical Characteristics


 $(I_F=100mA, T_a=25^{\circ}C)$

			• 1		u
Item	Symbol	Unit	Min	Тур	Max
Peak Wavelength(*)	λ_{p}	nm	320	325	330
Radiant Flux(**)	P _o	mW	15	28	-
Full Width at Half Maximum	⊿λ	nm	-	10	15
Forward voltage	V _F	V	3.7	4.1	5.2

^(*)Peak Wavelength Measurement tolerance is ± 3 nm.

Specification and dimension are subject to change for improvement without notice.

Physical dimensions and Sample photo



^(**)Radiant Flux Measurement tolerance is $\pm 10\%$.




Model 325-FG-03-C Bare Die (Flip chip form, Au Pad)


Absolute Maximum Ratings

Item	Symbol	Unit	Value
Forward Current	I_{F}	mA	150
Reverse Voltage	V_R	V	5
Junction Temperature	T _J	$^{\circ}$	90
Operating Temperature	T _{OPR}	$^{\circ}$	-30 ∼ +85
Storage Temperature	T_{STR}	$^{\circ}$	-40 \sim +85 (No condensation)


Derating Curve




Forward Voltage vs Forward Current



Forward Current vs Radiant Flux



Spectrum







Model 325-FG-03-C Bare Die (Flip chip form, Au Pad)

• These data as on the page 1 to 2 were determined with Al-substrate on a heat sink and fan.

Radiation Pattern





· This data is for reference only.

Handling Static Electricity

This product is sensitive to static electricity and surge voltages, which may damage the device and reduce reliability. When handling the product, please refer to the example below and take sufficient measures against static electricity.

- Charge removal using wrist straps, conductive clothing, conductive shoes, conductive flooring, etc.
- Eliminating electric charges by installing equipment, jigs, etc. in the work area.
- Installation of workbenches, storage shelves, etc. using conductive materials.

WARNING



- \cdot LEDs emit very strong UV radiation.
- \cdot Do not look at the LED light with the naked eye or irradiate the skin.
- · UV radiation can harm your eyes and skin.
- · To prevent UV radiation exposure, wear protective eyewear and protective equipment.
- \cdot If LEDs are embedded in devices, please indicate warning labels against the UV light LED used.
- · Keep out of reach of children.