

Model 340-SL-03-C Bare Die (Flip chip form, AuSn Pad)

Typical Optical-Electrical Characteristics


 $(I_F=350mA, T_a=25^{\circ}C)$

Item	Symbol	Unit	Min	Тур	Max
Peak Wavelength(*)	λ_{p}	nm	335	340	345
Radiant Flux(**)	P _o	mW	90	130	-
Full Width at Half Maximum	⊿λ	nm		10	
Forward voltage	V_{F}	V	3.8	-	5.5

^(*)Peak Wavelength Measurement tolerance is ± 3 nm.

Specification and dimension are subject to change for improvement without notice.

Physical dimensions and Sample photo



^(**)Radiant Flux Measurement tolerance is $\pm 10\%$.




Model 340-SL-03-C Bare Die (Flip chip form, AuSn Pad)


Absolute Maximum Ratings

Item	Symbol	Unit	Value
Forward Current	I_{F}	mA	600
Reverse Voltage	V_R	V	5
Junction Temperature	T _J	$^{\circ}$	90
Operating Temperature	T _{OPR}	$^{\circ}$	-30 ∼ +85
Storage Temperature	T_{STR}	$^{\circ}$	-40 \sim +85 (No condensation)


Derating Curve




Forward Voltage vs Forward Current



Forward Current vs Radiant Flux



Spectrum





Model 340-SL-03-C Bare Die (Flip chip form, AuSn Pad)

• These data as on the page 2 were determined with Al-substrate on a heat sink and fan.

Handling Static Electricity

This product is sensitive to static electricity and surge voltages, which may damage the device and reduce reliability. When handling the product, please refer to the example below and take sufficient measures against static electricity.

- Charge removal using wrist straps, conductive clothing, conductive shoes, conductive flooring, etc.
- · Eliminating electric charges by installing equipment, jigs, etc. in the work area.
- · Installation of workbenches, storage shelves, etc. using conductive materials.

MARNING



- $\boldsymbol{\cdot}$ LEDs emit very strong UV radiation.
- \cdot Do not look at the LED light with the naked eye or irradiate the skin.
- · UV radiation can harm your eyes and skin.
- · To prevent UV radiation exposure, wear protective eyewear and protective equipment.
- · If LEDs are embedded in devices, please indicate warning labels against the UV light LED used.
- · Keep out of reach of children.